
1.




2.



3.



4.



5.



DE: Einfach zu installieren
1. Bohren Sie je nach Größe der Montageplatte 3 Löcher in die Decke.
2. Schließen Sie das richtige Kabel an Ihren Haushaltsstromkreis an.
3. Befestigen Sie die Montageplatte mit 3 Schrauben an der Decke.
4. Richten Sie die Lampe an der Position der Lampenplatte aus und drehen Sie sie gegen den Uhrzeigersinn, um sie am Montageplatte zu befestigen.
5.Die Installation ist abgeschlossen.

ES: Fácil de instalar
1. Dependiendo del tamaño de la placa de montaje, taladre 3 agujeros en el techo.
2. Conecte el cable correcto al circuito eléctrico de su hogar.
3. Fije la placa de montaje al techo con 3 tornillos.
4. Alinee la lámpara con la posición de la placa de montaje y gírela en sentido antihorario para asegurarla a la placa de montaje.
5.Instalación completa.

FR: Facile à installer
1. Selon la taille de la plaque de montage, percez 3 trous dans le plafond.
2. Connectez le bon fil à votre circuit électrique domestique.
3. Fixez la plaque de montage au plafond avec 3 vis.
4. Alignez la lampe avec la position de la plaque de montage et tournez-la dans le sens inverse des aiguilles d'une montre pour la fixer à la plaque de montage.
5.L'installation est complète.

UK: Easy to install
1. Depending on the size of the mounting plate, drill 3 holes in the ceiling.
2. Connect the correct cord to your household electrical circuit.
3. Fix the mounting plate to the ceiling with 3 screws.
4. Align the lamp with the position of the lamp plate and rotate counterclockwise to fix it to the mounting plate.
5.Finish Installation.

IT: Facile da installare
1. A seconda delle dimensioni della piastra di montaggio, praticare 3 fori nel soffitto.
2. Collegare il cavo corretto al circuito elettrico domestico.
3. Fissare la piastra di montaggio al soffitto con 3 viti.
4. Allineare la lampada con la posizione della piastra di montaggio e ruotarla in senso antiorario per fissarla alla piastra di montaggio.
5.L'installazione è completa.

Remote Control



turn on

turn off

increase brightnss

increase brightnss

change color temperature
to 3000k

change color temperature
to 6000k

Set up button

adjust 3 color temperature

50% brightness

Night mode
(20% brightness and 4000k)

60s automatically
turn off timer

AAA battery not included

How to pair the remote with the lamps?

Turn on the light and press and hold the "turn on" button within 5 seconds.
When the light flashes, the pairing is complete.


1.With the ceiling light installed, you need to scan the QR code to download the app that corresponds to control the ceiling light.


Lampsmart APP QR code

2.Before you open the app, you need to turn on your phone's Bluetooth and make sure the ceiling light is not yet lit (not working). This is the interface to open the app.




3.Open the application, click on "+", set the room you want, such as living room, bedroom, study lights, beyond the fourth you can name it by yourself through the "Custom" option. Regarding the device name, you can name the corresponding lamps, such as "Lamp 1" and "Lamp 2".





4.You need to familiarise yourself with the control page of "Lamp 1" in advance and pay attention to the position of the "pairing button", which is required in step 5.





Paring key

5.Pairing key: Bluetooth needs to be turned on when you open the app. Pairing Button. To make sure the app can control the device successfully, please tap this "Pairing Button" 5 times continuously within 5 seconds after the device is powered on. If the device blinks or beeps, it means that the mobile phone has been successfully paired with the device, and then you can control the device through the app



6. About voice control: Voice control is currently only available in English and Chinese.