
FLEXIBLE TRACK LIGHT
The most anticipated flexible track system
on the market.
www.ledbox.es



ARC FREE CUSTOMIZATION

0168ME series provides free customization of the arc size, the diameter of the arc is at least 900mm.



FLEXIBLE MODULE

All module lights of the 0168ME series are suitable for installation on an arc with a diameter of 900mm or more.













VARIETY OF TRACKS,
FREE CREATION







Multiple installation methods









Card buckle fixing of the luminaries. The lighting bodies can be moved when they are still on, achieving enormous flexibility and adaptability in the configuration at any time.



FLEXIBLE





SWING


秋咪



LINEAR


15°
36°


Surface
Special case of cement
ceiling surface installation







FLEXIBLE TRACK LIGHT



PRODUCT FEATURES



IP20
CRI>90
UGR<12
DC48V
5-year warranty

PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014.539	10W	1000 lm	10.5W	750 lm	3000K/4000K/6500K	24° / 38°

FLEXIBLE TRACK LIGHT
0168ME series



PRODUCT FEATURES

IP20
CRI>90
DC48V
5-year warranty



PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
lD1014540	10W	1000 lm	10.5W	700 lm	3000K/4000K/6500K	120°

FLEXIBLE TRACK LIGHT
0168ME series



PRODUCT FEATURES

IP20
CRI>90
DC48V
5-year warranty



PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD 1014541	10W	1000 lm	10.5W	700 lm	3000K/4000K/6500K	120°
LD 1014541B	20W	2000 lm	22.3W	1400 lm	3000K/4000K/6500K	120°
LD 1014542	40W	4000 lm	43.5W	2800 lm	3000K/4000K/6500K	120°

FLEXIBLE TRACK LIGHT
0168ME series



0168MSF G2 5



0168MSF G2 10



0168MSF G2 15

PRODUCT FEATURES

IP20
CRI>90
UGR<12
DC48V
5-year warranty



0168MSF G2 5



0168MSF G2 10



0168MSF G2 15

PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014530A	5W	500 lm	5.9W	365 lm	3000K/4000K/6500K	30°
LD1014530	10W	1000 lm	10.8W	750 lm	3000K/4000K/6500K	30°
LD1014531	15W	1500 lm	15.7W	1125 lm	3000K/4000K/6500K	30°

FLEXIBLE TRACK LIGHT
0168ME series



PRODUCT FEATURES

IP20
CRI>90
UGR<12
DC48V
5-year warranty
Length customization:1000mm,2000mm,3000mm

PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014537	15W/m	1500 lm	15.9W	900 lm	3000K/4000K/6500K	360°

FLEXIBLE TRACK LIGHT
0168ME series



PRODUCT FEATURES

IP20
CRI>90
DC48V
5-year warranty



PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014532	5W	500 lm	5.9W	350 lm	3000K/4000K/6500K	15° / 24° / 36°

FLEXIBLE TRACK LIGHT
0168ME series



0168 MMO 6



0168 MMO 12

PRODUCT FEATURES

IP20
CRI>90
DC48V
5-year warranty



0168 MMO 6



0168 MMO 12

PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014533	6W	600 lm	6.4W	420 lm	3000K/4000K/6500K	30°
LD1014534	12W	1200 lm	12.6W	840 lm	3000K/4000K/6500K	30°

FLEXIBLE TRACK LIGHT
0168ME series



0168 MMP 6



0168 MMP 12

PRODUCT FEATURES

IP20
CRI>90
DC48V
5-year warranty



0168 MMP 6



0168 MMP 12

PRODUCT SPECIFICATIONS

Item No.	LED chip power	LED chip lumens	Light power	Light lumens	CCT	Beam angle
LD1014535	6W	600 lm	6.4W	420 lm	3000K/4000K/6500K	120°
LD1014536	12W	1200 lm	12.6W	840 lm	3000K/4000K/6500K	120°

FLEXIBLE TRACK LIGHT
0168ME series



0168ME CIRCLE UP LIGHT 900



0168ME CIRCLE UP LIGHT 1200



0168ME CIRCLE UP LIGHT 1500

PRODUCT FEATURES

Up+down light
IP20
CRI>90
DC48V
5-year warranty



PRODUCT SPECIFICATIONS

Item No.	Power	Lumens	CCT	Beam angle
LD1014525 CIRCLE UP LIGHT 900	Up:40W+Down:Max.100W	Up:2800 lm	3000K/4000K/6500K	Up:120°
LD1014526 CIRCLE UP LIGHT 1200	Up:55W+Down:Max.150W	Up:3850 lm	3000K/4000K/6500K	Up:120°
LD1014527 CIRCLE UP LIGHT 1500	Up:65W+Down:Max.150W	Up:4550 lm	3000K/4000K/6500K	Up:120°





0168ME TRACK FEEDER POWER

Power	144W
Material	Aluminum
Color	Black
Remark	Driver box for 0168ME TRACK SURFACE

0168ME CIRCLE FEEDER POWER

Power	150W
Material	Aluminum
Color	Black
Remark	Driver box for 0168ME CIRCLE





0168ME CAP

Material	Aluminum
Color	Black
Remark	0168ME TRACK End cap





0168ME S-MOUTED

Material	Aluminum
Color	Black
Remark	For track surface mounting accessories



0168ME Connector kit power A

Material	Aluminum+Silica gel
Color	Black
Remark	For electrically conductive connections between two tracks .



0168ME Connector kit power B

Material	Silica gel
Color	Black
Remark	Used for conductive connection between power supply and track.



Track Driver 02 100W

Power	Max. 100W
Material	Plastic
Color	Black
Remark	Driver for magnetic track



Track Driver 02 200W

Power	Max. 200W
Material	Plastic
Color	Black
Remark	Driver for magnetic track



0168ME cable

Material	Stainless steel
Color	Black
Remark	For track suspend accessories