LEDBOX®

www.ledbox.es



NEON FLEX

Silicone Tube 1207

Product specification

Led NEON Tubo Silicona DC24V, 10x6.2mm, 10 metros (1052307-14

Features:

Available in 24V DC maximum.

High bright & low power consumption.

Operating temperature: -20~50°C.

Long life span LED lights, more than 50,000 hours+.

Adhesive back, peel & stick!

Dimmable by using dimmer controller Waterproof, IP68.



Applications:

Ideal for sign letters and channel letters, concealed lights, room lighting, equipment.

How to connect flexible strip

Below shows you how to connect the flexible strip to power supplies.



Front View:



Lateral View:



Advantage

1. Less color drift, CCT and color of finished product are more loyal to the original led color.
2. The PCB is recessed in the silicon tube, so it will not bend or raise.
3. The finished product can be directly made to be 10M/20M/30M
4. Production efficiency and cycle are greatly improved, the delivery time shortened.
5. The size of the standard cable, double-insulated, is 2*0.75mm2.
   The end-cap is made longer and thicker, thus ensuring IP67.



SMD2014, 300 LED/meter(Frosted)

Part Number	Size	Color	Cut every (LEDS)	LED Qty/M	Lumen/M	Voltage	Power/m	Packing/m
LD1052307	W10*6	WW	24	240	925	DC24V	11W	10 M/reel
LD1052308		NW			950			
LD1052309		CW			975			



For: red, blue, green, yellow



For: white LED

